

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	POS near10 offline near10 queue\$4 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:38
L3	0	Sale\$4 near10 offline near10 queue\$4 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:31
L4	0	offline near10 queue\$4 and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:29
L5	1	offline near10 POS and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:30
L6	0	inoperabl\$6 near10 POS and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:30
L7	0	backup near10 queue\$4 near10 POS and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:30
L8	0	database near10 queue\$4 near10 offline\$4 near10 POS and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:31
L9	30	Sale\$4 near10 offline and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:33
L10	245	offline and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:34

L11	0	queue\$4 near10 offline and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:34
L12	20	storage\$4 near10 offline and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:36
L13	58	stor\$6 near10 offline and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:34
L14	45	POS and offline and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:36
L15	6	POS near10 offline and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:40
L16	8	POS same offline and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:43
L17	745	POS same stor\$4 same transact\$7 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:44
L18	53	POS same stor\$4 same transact\$7 and @ad<"20001116" and (offline inoperab\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:48
L19	0	POS same stor\$4 same transact\$7 same (offline inoperab\$6) and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:44
L20	0	database near10 synchroniz\$7 same POS and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:49

L21	0	database near10 synchroniz\$7 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:49
L22	0	database near10 synchroniz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:49
L23	5	database near10 synchroniz\$7 same POS and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:50
L24	7	database same synchroniz\$7 same POS and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:52
L25	0	database same POS and @ad<"20001116" and "705"/\$. ccls. and "714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:52
L26	200	database same POS and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:52
L27	11	database same POS and @ad<"20001116" and "713"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:53
L28	8	offline same POS and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:53
L29	61	offline same POS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:53
L30	0	offline same POS same queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:53

L31	1	offline same POS same backup\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:54
L32	2	server\$4 near4 (inoperabl\$4 offline) same POS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:55
L33	3	server\$4 near4 (inoperabl\$4 offline) same stor\$4 near10 transact\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:56
L34	13	server\$4 near4 (inoperabl\$4 offline) same stor\$4 same transact\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:02
L35	3	pos near10 transact\$6 near10 offline	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:03
L36	28	pos same transact\$6 same offline	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:03
L37	5	transfer\$4 near10 POS near10 transactions near10 host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:18
L38	0	transfer\$4 near10 POS near10 transactions near10 offline\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:18
L40	11	offline near10 queue\$4 near10 stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:22
L41	45	offline near10 stor\$4 near10 transact\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:22

L42	45	offline near10 stor\$4 near10 transact\$4 not l40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:35
L43	0	(709/227-229 and 705/7-8,35-36 and 714/4,43).ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 10:36